

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/800,529	03/15/2004	Matthew David Bomhoff	TUC920030179US1	1316
45216 Kunzler & Mck	7590 · 10/15/200 Kenzie	7 ·	EXAM	INER
8 EAST BROADWAY			MATTIS, JASON E	
	SUITE 600 SALT LAKE CITY, UT 84111 PAPER		PAPER NUMBER	
			2616	
			MAIL DATE	DELIVERY MODE
			10/15/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	•		S
•	Application No.	Applicant(s)	
	10/800,529	BOMHOFF ET AL.	
Office Action Summary	Examiner	Art Unit	
	Jason E. Mattis	2616	
The MAILING DATE of this communication Period for Reply	appears on the cover sheet w	ith the correspondence address	3 ,
A SHORTENED STATUTORY PERIOD FOR RIWHICHEVER IS LONGER, FROM THE MAILIN - Extensions of time may be available under the provisions of 37 CF after SIX (6) MONTHS from the mailing date of this communicatio - If NO period for reply is specified above, the maximum statutory p - Failure to reply within the set or extended period for reply will, by s Any reply received by the Office later than three months after the earned patent term adjustment. See 37 CFR 1.704(b).	G DATE OF THIS COMMUN FR 1.136(a). In no event, however, may a n. eriod will apply and will expire SIX (6) MO statute, cause the application to become A	CATION. reply be timely filed NTHS from the mailing date of this commun BANDONED (35 U.S.C. § 133).	
Status			
1) Responsive to communication(s) filed on			
	This action is non-final.		
3) Since this application is in condition for all	•		its is
closed in accordance with the practice und	der <i>Ex parte Quayle</i> , 1935 C.	J. 11, 453 O.G. 213.	•
Disposition of Claims			
4) Claim(s) 1-31 is/are pending in the applica	ation.		
4a) Of the above claim(s) is/are with	ndrawn from consideration.		
5) Claim(s) is/are allowed.			
6)⊠ Claim(s) <u>1-31</u> is/are rejected.			
7) Claim(s) is/are objected to.	·		
8) Claim(s) are subject to restriction a	nd/or election requirement.		•
Application Papers			
9)☐ The specification is objected to by the Exa	miner.		
10) The drawing(s) filed on is/are: a) □		by the Examiner.	
Applicant may not request that any objection to	the drawing(s) be held in abeya	nce. See 37 CFR 1.85(a).	
Replacement drawing sheet(s) including the country of the oath or declaration is objected to by the			
Priority under 35 U.S.C. § 119		•	
12) Acknowledgment is made of a claim for for a) All b) Some * c) None of: 1. Certified copies of the priority docur 2. Certified copies of the priority docur	ments have been received. ments have been received in	Application No	
3. Copies of the certified copies of the	•	n received in this National Stag	le
application from the International Boats * See the attached detailed Office action for		t received	
Occurs attached detailed Office action for a	or the certified copies no	t roodivou.	
		,	
Attachment(s)			
1) Notice of References Cited (PTO-892)		Summary (PTO-413)	
 2) Notice of Draftsperson's Patent Drawing Review (PTO-94 3) Information Disclosure Statement(s) (PTO/SB/08) 	5) Notice of	o(s)/Mail Date Informal Patent Application	
Paper No(s)/Mail Date <u>1 paper</u> .	6)	·	

U.S. Patent and Trademark Office PTOL-326 (Rev. 08-06)

Art Unit: 2616

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. Claims 1, 2, 4, 5, 7-9, 12, 14-20, 22, 23, 25-28, 30, and 31 are rejected under 35 U.S.C. 102(b) as being anticipated by Hutchinson et al. (U.S. Pat. 5084870).

With respect to claims 1, 19, 30, and 31, Hutchinson et al. discloses an apparatus operating a method using computer code stored on a computer readable medium for identifying network mis-cabling (See the abstract, column 10 lines 38-58, and Figure 7 of Hutchinson et al. for reference to an apparatus and method for detecting invalid network topology connections). Hutchinson et al. also discloses a detection module detecting a new connection facilitated by a first physical termination of a network cable at a network switch forming part of a data network (See column 13 lines 17-40 and Figure 8 of Hutchinson et al. for reference to detecting a new physical connection at a switching device when a request is received in step 304). Hutchinson et al. further discloses a comparison module comparing the new connection to a connection rule defining a cabling connection (See column 13 lines 41-59 and Figure 8 of Hutchinson et al. for reference to comparing the new connection from

Art Unit: 2616

the request to rules in a connection matrix in step 328). Hutchinson et al. also discloses a cabling connection module to control authorization of a network communication over the new connection in accordance with the connection rule (See column 13 line 60 to column 14 line 6 and Figure 8 of Hutchinson et al. for reference to either permitting data transfer over the new connection or not in accordance with the connection matrix comparison result).

With respect to claim 14, Hutchinson et al. discloses a system for identifying network mis-cabling comprising a first network device and a second network device with an external cable making a new connection between the first and second devices (See the abstract, column 5 lines 23-38, and Figure 5 of Hutchinson et al. for reference to a system including an apparatus for detecting invalid network topology connections and for reference to multiple network devices with external cabling making new connections between the devices, as shown in Figure 5). Hutchinson et al. also discloses a cabling connection module configured to refuse network service via the new connection prior to a determination that the new connection is a legal connection (See column 10 lines 38-58, column 13 line 17 to column 14 line 6, and Figures 7 and 8 of Hutchinson et al. for reference to a module not permitting data to be sent over a new connection until it is determined that the connection is valid, as shown by the method in Figure 8).

With respect to claim 15, Hutchinson et al. discloses a system for identifying network mis-cabling (See the abstract of Hutchinson et al. for reference to a system for detecting invalid network topology connections). Hutchinson et al. also

Art Unit: 2616

discloses a host server having a host bus adapter (See column 10 lines 25-58 and Figure 7 of Hutchinson et al. for reference to a station 250 that acts as a host server including MAC modules, which are bus adapters). Hutchinson et al. also discloses a network switch having a network adaptor (See column 5 lines 23-38 and Figure 5 of Hutchinson et al. for reference to the system including multiple network switches with adapters for cabling connections). Hutchinson et al. further discloses an external cable connecting the host bus adapter to the network adapter (See column 5 lines 23-38, column 10 lines 25-58, and Figures 5 and 7 of Hutchinson et al. for reference to connecting the switch 250 to other switches using external cabling). Hutchinson et al. also discloses a cabling connection apparatus detecting and reporting the first new connection (See column 13 lines 17-40 and Figure 8 of Hutchinson et al. for reference to detecting a new physical connection at a switching device and for reference to reporting the new connection using a request that is received in step 304). Hutchinson et al. further discloses a comparison module comparing the first new connection to a cabling rule in order to determine of the first new connection is a legal cabling connection (See column 13 lines 41-59 and Figure 8 of Hutchinson et al. for reference to comparing the new connection from the request to a list of legal connection rules in a connection matrix in step 328).

With respect to claims 2 and 20, Hutchinson et al. discloses determining if the new connection is a switch connection (See column 5 line 51 to column 6 line 33, column 13 lines 41-59, and Figure 8 of Hutchinson et al. for reference to

Art Unit: 2616

determining the type of connection including determining if the connection is a switch connection, i.e. a connection from a concentrator, or a non-switch connection, i.e. a connection from an end station).

With respect to claims 4, 16, and 22, Hutchinson et al. discloses an isolation module isolating the connection in response to determining that the new connection is not legal (See column 14 lines 17-43 of Hutchinson et al. for reference to rejection a connection as not valid and isolating the invalid connection).

With respect to claims 5 and 23, Hutchinson et al. discloses an insertion module inserting the new connection in response to determining that the new connection is legal (See column 13 line 60 to column 14 line 6 and Figure 8 of Hutchinson et al. for reference to permitting data transfer over connection determined to be valid).

With respect to claims 7 and 25, Hutchinson et al. discloses a verification module determining if the new connection conflicts with an existing connection (See column 13 line 17 to column 14 line 6 and Figure 8 of Hutchinson et al. for reference to determining if a new connection conflicts with other existing connections according to the connection matrix rules).

With respect to claims 8, 17, and 26, Hutchinson et al. discloses establishing a connection request record identifying the corresponding new connections at the network switch and a second network device (See column 13 lines 17-59 and Figure 8 of Hutchinson et al. for reference to using singling to establish a connection request identifying both ends of a new physical connection).

Art Unit: 2616

With respect to claims 9 and 27, Hutchinson et al. discloses obtaining a second network device identifier descriptive of the second connection (See column 13 lines 17-59 and Figure 8 of Hutchinson et al. for reference to devices on both sides of the new connection exchanging station connection identification information).

With respect to claims 12 and 28, Hutchinson et al. discloses the request record identifying a device type (See column 13 lines 29-40 and Figure 8 of Hutchinson et al. for reference to the request identifying a connection device type).

With respect to claim 18, Hutchinson et al. discloses transmitting the connection request to the comparison module (See column 13 lines 17-40 and Figure 8 of Hutchinson et al. for reference to transmitting a new connection request to a module for comparison with the connection matrix).

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 3, 6, 13, 21, 24, and 29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hutchinson et al. in view of Dolbec et al. (U.S. Publication US 2006/0153562 A1).

Art Unit: 2616

With respect to claims 3, 13, 21, and 29, Hutchinson et al. does not disclose notifying a host of the new connection and storing a connection record in a database.

With respect to claims 3, 13, 21, and 29, Dolbec et al., in the field of communications, discloses notifying a host of a new connection and storing a connection record in a database (See the abstract and page 3 paragraphs 51-53 of Dolbec et al. for reference to automatically displaying new connections on a host GUI and for reference to storing connection information). Notifying a host of a new connection and storing a connection record in a database has the advantage of allowing a user to be aware of all new and existing network connections that are being automatically processed.

It would have been obvious for one of ordinary skill in the art at the time of the invention, when presented with the work of Dolbec et al., to combine notifying a host of a new connection and storing a connection record in a database, as suggested by Dolbec et al., with the system and method of Hutchinson et al., with the motivation being to allow a user to be aware of all new and existing network connections that are being automatically processed.

With respect to claims 6 and 24, Hutchinson et al. does not disclose altering an existing connection on the data network.

With respect to claims 6 and 24, Dolbec et al. discloses altering an existing connection on a network (See page 3 paragraph 65 of Dolbec et al. for reference to altering existing connections in response to detecting an invalid connection).

Art Unit: 2616

Altering an existing connection on a network of allowing an illegal connection to become a legal connection by changing other network connections.

It would have been obvious for one of ordinary skill in the art at the time of the invention, when presented with the work of Dolbec et al., to combine altering an existing connection on a network, as suggested by Dolbec et al., with the system and method of Hutchinson et al., with the motivation being to allow an illegal connection to become a legal connection by changing other network connections.

5. Claims 10 and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hutchinson et al. in view of Bartfai et al. (U.S. Pat. 6381643 B1).

With respect to claims 10 and 11, Hutchinson et al. does not disclose a request record comprising a first and second device identifier and a first and second port identifier.

With respect to claims 10 and 11, Bartfai et al., in the field of communications, discloses a request record comprising a first and second device identifier and a first and second port identifier (See column 5 line 39 to column 6 line 3 and Figure 3 of Bartfai et al. for reference to a transmission stream, which is a request record, including multiple device and port identifiers). Using a request record comprising a first and second device identifier and a first and second port identifier has the advantage of allowing information about both sides of a new connection to be used in determining if the connection is valid.

Art Unit: 2616

It would have been obvious for one of ordinary skill in the art at the time of the invention, when presented with the work of Bartfai et al., to combine using a request record comprising a first and second device identifier and a first and second port identifier, as suggested by Bartfai et al., with the system and method of Hutchinson et al., with the motivation being to allow information about both sides of a new connection to be used in determining if the connection is valid.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jason E. Mattis whose telephone number is (571) 272-3154. The examiner can normally be reached on M-F 8AM-5:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Huy Vu can be reached on (571) 272-3155. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Jason E Mattis Examiner Art Unit 2616

jem